

ROZPISKA BET.OCELI - PATKY, SLOUPY

ČÍSLO	KUSŮ	Ø	DĚLKA										
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25
1	952	R18	3,00							2856,0			
2	112	R12	2,42				271,0						
3	168	R14	2,10					352,8					
4	2364	R8	1,55		3664,2								
5	208	R14	2,50					520,0					
6	32	R12	1,92				61,4						
7	216	R14	5,70					1231,2					
8	180	R14	4,50					810,0					
9	36	R14	5,30					190,8					
10	48	R14	1,80					86,4					
			m	0,0	3664,2	0,0	332,5	3191,2	0,0	2856,0	0,0	0,0	0,0
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853
			kg	0,0	1447,4	0,0	295,2	3855,0	0,0	5706,3	0,0	0,0	0,0
			CELKEM: 11303,9 kg										

ROZPISKA BET.OCELI - R1,R2

ČÍSLO	KUSŮ	Ø	DĚLKA										
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25
1	60	R16	5,90						354,0				
2	126	R22	8,40									1058,4	
3	112	R14	12,00					1344,0					
4	56	R14	9,00					504,0					
5	40	R14	5,00					200,0					
6	168	R25	4,60										772,8
7	60	R14	4,95					297,0					
8	84	R14	5,20					436,8					
9	1680	R10	3,00			5040,0							
10	1680	R10	2,85			4788,0							
11	24	R16	5,80						139,2				
12	16	R14	4,80					76,8					
13	24	R14	4,85					116,4					
			m	0,0	0,0	9828,0	0,0	2975,0	493,2	0,0	0,0	1058,4	772,8
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853
			kg	0,0	0,0	6063,9	0,0	3593,8	778,3	0,0	0,0	3158,3	2977,6
			CELKEM: 16571,8 kg										

ROZPISKA BET.OCELI - R3,R4

číslo	kusů	Ø	DĚLKA										
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25
1	12	R16	5,90						70,8				
2	18	R18	8,40							151,2			
3	12	R14	12,00					144,0					
4	12	R14	9,00					108,0					
5	6	R14	5,00					30,0					
6	24	R20	4,60								110,4		
7	12	R14	4,95					59,4					
8	12	R14	5,20					62,4					
9	480	R8	3,00		1440,0								
10	480	R8	2,65		1272,0								
11	12	R16	5,80						69,6				
12	6	R14	4,80					28,8					
13	12	R14	4,85					58,2					
			m	0,0	2712,0	0,0	0,0	490,8	140,4	151,2	110,4	0,0	0,0
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853
			kg	0,0	1071,2	0,0	0,0	592,9	221,6	302,1	272,2	0,0	0,0
			CELKEM: 2460,0 kg										

ROZPISKA BET.OCELI - R5,R6

ČÍSLO	KUSŮ	Ø	DÉLKA										
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25
1	40	R14	5,90					236,0					
2	84	R16	8,40						705,6				
3	52	R12	12,00				624,0						
4	14	R12	9,00				126,0						
5	10	R12	5,00				50,0						
6	112	R20	4,60								515,2		
7	40	R14	4,75					190,0					
8	56	R14	5,20					291,2					
9	56	R14	3,10					173,6					
10	1260	R8	2,28		2866,5								
11	16	R14	5,80					92,8					
12	4	R12	4,80				19,2						
13	16	R14	4,65					74,4					
			m	0,0	2866,5	0,0	819,2	1058,0	705,6	0,0	515,2	0,0	0,0
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853
			kg	0,0	1132,3	0,0	727,4	1278,1	1113,4	0,0	1270,5	0,0	0,0
			CELKEM: 5521,7 kg										

ROZPISKA BET.OCELI - R7,R8

ČÍSLO	KUSŮ	Ø	DÉLKA										
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25
1	8	R14	5,90					47,2					
2	24	R14	8,40					201,6					
3	16	R12	12,00				192,0						
4	4	R12	9,00				36,0						
5	2	R12	5,00				10,0						
6	32	R16	4,60						147,2				
7	8	R14	4,75					38,0					
8	16	R14	5,20					83,2					
9	16	R14	3,10					49,6					
10	360	R8	2,28		819,0								
11	8	R14	5,80					46,4					
12	2	R12	4,80				9,6						
13	8	R14	4,65					37,2					
			m	0,0	819,0	0,0	247,6	503,2	147,2	0,0	0,0	0,0	0,0
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853
			kg	0,0	323,5	0,0	219,9	607,9	232,3	0,0	0,0	0,0	0,0
CELKEM: 1383,5 kg													

ROZPISKA BETONÁŘSKÉ OCELI - V1÷V8,D1÷D3_ZÁLIVKOVÁ VÝZTUŽ

ČÍSLO	KUSŮ	Ø	DÉLKA											KARI SÍŤ 8,2/10	KARI SÍŤ 6/100
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25	m²	m²
1	64	R12	5,50				352,0								
2	304	R6	1,00	304,0											
3	128	R12	0,80				102,4								
4	1	R10	1990,00			1990,0									
5	284	R6	1,10	312,4											
6	440	R6	0,80	352,0											
7	568	R6	0,85	482,8											
8	70	R6	1,00	70,0											
9	256	R6	0,70	179,2											
10	1	R10	2440,00			2440,0									
11	840	R6	0,55	462,0											
KARI Sít'															
s2	8,2x6,5/100x300													87,00	
s1	6,0x6,0/100x100														119,5
			m	2162,4	0,0	4430,0	454,4	0,0	0,0	0,0	0,0	0,0	0,0	87,00	119,5
			kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853	5,02	4,44
			kg	480,1	0,0	2733,3	403,5	0,0	0,0	0,0	0,0	0,0	0,0	436,7	530,6
				CELKEM: 4584,2 kg											

ROZPISKA BETONÁŘSKÉ OCELI - VÝTAHOVÁ ŠACHTA

ČÍSLO	KUSŮ	Ø	DÉLKA											KARI SÍŤ 8,2/10	KARI SÍŤ 6/100
		mm	m	Ø R6	Ø R8	Ø R10	Ø R12	Ø R14	Ø R16	Ø R18	Ø R20	Ø R22	Ø R25	m²	m²
1	92	R14	2,95					271,4							
2	156	R8	1,00		156,0										
3	78	R8	1,15		89,7										
4	8	R12	3,50				28,0								
5	8	R12	3,70				29,6								
6	8	R12	2,60				20,8								
7	116	R6	0,75	87,0											
8	520	R8	1,35		702,0										
9	530	R8	0,35		185,5										
KARI SÍŤ															
s1	6,0x6,0/100x100														340,00
		m	87,0	1133,2	0,0	78,4	271,4	0,0	0,0	0,0	0,0	0,0	0,0	0,00	340,0
		kg/m	0,222	0,395	0,617	0,888	1,208	1,578	1,998	2,466	2,984	3,853		5,02	4,44
		kg	19,3	447,6	0,0	69,6	327,9	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1509,6
								CELKEM:		2374,0		kg			