

Technical drawing of a wall section showing a window opening. The wall has a total height of 2500 mm and a total width of 1600 mm. The window opening is 900 mm wide and 1600 mm high. The wall is 350 mm thick on both sides. The window is set into the wall, with a 50 mm gap between the window frame and the wall. The window is shown with a red outline. The wall is filled with a light blue diagonal hatching pattern. The window opening is white. The drawing includes dimension lines and values for height and width.

Technical drawing of a rectangular plate with the following dimensions and features:

- Overall width: 1800
- Overall height: 350
- Central cutout width: 900
- Central cutout height: 350
- Distance from left edge to cutout: 350
- Distance from right edge to cutout: 350
- Distance from top edge to cutout: 350
- Distance from bottom edge to cutout: 350
- Central cutout is outlined in red.
- Central cutout contains a blue vertical line and a small black circle.
- Central cutout is surrounded by a hatched area.

POKLOP NEREZOVÝ 720X720mm VČ. RÁMU
VODOTĚSNÝ, ZATEPLENÝ S MADLEM
UMÍSTĚNÝ NAD ÚROVEŇ ZELENÉ PLOCHY

- železobetonové stěny vyztužené 2 x kari sítí 100/100/8 provedené z vodostavebního betonu
- zastropení PZD desky
- šachta kompletně izolována 2*asfaltové pásy celoplošně natavené
- podlaha vyspádovaná do zachytné jímky 250/250/250
- ocelový žebřík s výsuvnými madly

PROVEDENÍ A UMÍSTĚNÍ DLE ČSN 750748 A DLE NV Č.101/2005 Sb.

- PODLAHA VODOMĚRNÉ ŠACHTY
- PROTISKLUZNÁ ÚPRAVA
- BETONOVÁ DESKA S KARI SÍTÍ TL.150MM
- HYDROIZOLACE 2* ASFALTOVÉ PÁSY
- KŘÍŽEM CELOPLOŠNĚ NATAVENÉ
- PODKLADNÍ BET.DESKA S KARI SÍTÍ TL.100MM
- ŠTĚRKOVÝ PODSYP TL.250MM
- PŮVODNÍ TERÉN (HUTNĚNÝ)

ZODPOVĚDNÝ PROJEKTANT: MARTA KYNCLOVÁ		VYPRACOVAL: MARTA KYNCLOVÁ		MARTA KYNCLOVÁ projektová činnost ve výstavbě 582 35 LUČICE 188 IČO:86679597 ČKAIT:0700977	
OBEC: VĚŽ		KRAJ: VYSOČINA			
INVESTOR: KRAJ VYSOČINA,ŽIŽKOVA 1882/57, JIHLAVA					
DOMOV VE VĚŽI – NOVÁ BUDOVA SO.02 ZPEVNĚNÉ PLOCHY A PŘÍPOJKY IS PŘÍPOJKA VODY A KANALIZACE				STUPEŇ:	DPS
				DATUM:	6/2024
				ZAK.ČÍSLO:	23 521.1
VODOMĚRNÁ ŠACHTA				MĚŘITKO:	Č.v.
				1:5	10.