

Technical drawing of a wall cross-section. The drawing shows a wall with a total height of 1108 mm and a total width of 1880 mm. The wall is constructed from reinforced concrete (římsa - železobeton C30/37 XC4 XF3) and is supported by a foundation (patní deska 15x200x250 mm). The wall is reinforced with UPE 100 steel profiles (profil UPE 100, ocel S275) and IPE 100 steel profiles (profil IPE 100, ocel S275). The drawing includes dimensions for the wall thickness (150 mm), the foundation thickness (200 mm), and the spacing of the reinforcement (100 mm). The drawing also shows the location of the reinforcement relative to the wall face (55 mm from the top and bottom edges, 100 mm from the side edges).

Technical drawing of a square plate with a central hole. The plate has a side length of 200 mm. The central hole has a diameter of 70 mm. The distance from the center of the hole to the nearest corner is 65 mm. The drawing includes dimension lines and arrows indicating the measurements.

zábřadlí z ocelových IPE a UPE profilů, ocel S275 žárově zinkovaná v tl. 70  $\mu\text{m}$

4xM $\varnothing$ 18x150mm

patní deska 15x200x250 mm

římsa – železobeton C30/37 XC4 XF3,

odtěžit všechnu zeminu v koruně opěrné zdi

okapový nos


opěrná zeď kamenivo spárované maltou

roxor  $\varnothing$ 12 mm, kotvit do spar à 0,50 m

betonový obrubník 1000x250x150 mm do beton.laže C30/37 XF3

frézovaná drť tl.150 mm

Jihlava

Hlavní projektant: Ing. arch. Martin Jirovský, Pěrvátílská 330, 390 01, Tábor, ČKA 03 311	 <div> CENTRUM SLUŽEB STARÉ MĚSTO </div> <div> WWW.CENTRUM SLUŽEB TABOR.CZ </div> <div> PĚRVÁTÍLSKÁ 330, TABOR 390 01 </div> <div> SPOJENÉ ATELIERŮ KA 21 &amp; M.A.A.T. </div>		
Zodpovědný projektant: Ing. Robert Juřina, Pěrvátílská 330, 390 01 Tábor IČ 880 67 483, tel. 604 159 283			
Vypracoval: Ing. Robert Juřina, Pěrvátílská 330, 390 01 Tábor IČ 880 67 483, tel. 604 159 283 Ing. Tomáš Tourek, Chýnovská 59, Tábor 391 56, IČO 762 24 104, tel. 721 365 932			
Investor: Kraj Vysočina, Žižkova 57, 587 33 Jihlava IČ 708 907 49			
KÚ: Příseka			
Akce: <b>II/405 Příseka průtah</b>	Stupeň:	PDPS	Paré:
Obsah:  <b>Detaily zábradlí</b>	Datum:	Prosinec 2015	
	Ozn. části:	C1.2	
	Měřítka: <b>1:25, 1:50</b>	Č. výkresu: <b>4</b>	